

Oferta aparat foto dslr

Aparat foto DSLR

Canon EOS 1000D BODY - 10.1 Megapixel CMOS sensor, Built-in/Fixed with Self Cleaning Sensor Unit, 2.5” LCD with Live View mode, carcasa Stainless Steel/Plastic; 7-point AF , DIGIC III, Shutter Speed 30-1/4000 sec (1/2 or 1/3 stop increments)); Continuous Shooting Max. JPEG Approx. 3fps. (speed maintained for up to 514 images (JPEG)¹; Max.RAW Approx 1.5fps for 5 images (RAW))² ; slot SD card, SDHC card; standard : Li-ion Battery LP-E5 + incarcator; optional : Eyecup Ef, Eyepiece Extender EP-EX15II, Angle Finder C, Semi-Hard Case EH19-L ; All EF and EF-S lenses; Canon Speedlites (220EX, 380EX, 420EX, 430EX, 550EX, 580EX, 580EX II, Macro-Ring-Lite MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Battery Grip BG-E5; Remote Controller / Switch Remote Switch RS-60E3; Power Supply & Battery Chargers AC Adapter Kit ACK-E5, Battery charger LC-E5E, Car Battery charger CBC-E5, Battery Pack LP-E5	1,583.22 lei
Canon EOS 1000D + EF 18-55 DC - 10.1 Megapixel CMOS sensor, Built-in/Fixed with Self Cleaning Sensor Unit, 2.5” LCD with Live View mode, carcasa Stainless Steel/Plastic; 7-point AF , DIGIC III, Shutter Speed 30-1/4000 sec (1/2 or 1/3 stop increments)); Continuous Shooting Max. JPEG Approx. 3fps. (speed maintained for up to 514 images (JPEG)¹; Max.RAW Approx 1.5fps for 5 images (RAW))² ; slot SD card, SDHC card; standard : Li-ion Battery LP-E5 + incarcator; optional : Eyecup Ef, Eyepiece Extender EP-EX15II, Angle Finder C, Semi-Hard Case EH19-L ; All EF and EF-S lenses; Canon Speedlites (220EX, 380EX, 420EX, 430EX, 550EX, 580EX, 580EX II, Macro-Ring-Lite MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Battery Grip BG-E5; Remote Controller / Switch Remote Switch RS-60E3; Power Supply & Battery Chargers AC Adapter Kit ACK-E5, Battery charger LC-E5E, Car Battery charger CBC-E5, Battery Pack LP-E5	2,001.06 lei
Canon EOS 500D Body - 15.1 Megapixel CMOS sensor, Full HD (1080p) movies, EOS Integrated Cleaning System, 3.0� LCD with Live View mode, carcasa Stainless Steel/Plastic; 9 AF points (f/5.6 cross type at centre, extra sensitivity at f/2.8), DIGIC IV, Continuous Shooting Max. Approx. 3.4fps. (speed maintained for up to 170 images (JPEG), 9 images (RAW)); 13 Custom Functions with 39 settings; SD card, SDHC card; standard : Li-ion Battery LP-E5 + incarcator LC-E5; optional : All EF-/S Lenses Macro Ring Lite MR-14EX, Macro twin lite MT-24EX, E-series Dioptic Adjustment Lenses, Angle Finder C, Semi hard case EH19L, Car Battery Charger CBC-E5, Interface Cable IFC-500, Canon EX-series Speedlites and ST-E2, AC Adapter CA-PS700, DC Coupler - DR-E5, Battery Grip BG-E5, Battery Magazine BGM-E5L, Eyepiece Extender EPEX15II, HDMI Cable HTC-100, Remote Switch RS-60E3, Remote Controller RC-5, RC-1	2,790.54 lei
Canon EOS 450D 1855 IS KIT - 12.2 Megapixel CMOS sensor, EOS Integrated Cleaning System, 3.0” LCD with Live View mode, carcasa Stainless Steel/Plastic; 9-point wide-area AF, DIGIC III, Max. Approx. 3.5fps. (speed maintained for up to 53 images (JPEG)¹; 6 images (RAW)); 13 Custom Functions with 34 settings; SD card, SDHC card; standard : Li-ion Battery LP-E5 + incarcator; optional : Eyecup Ef, Eyepiece Extender EP-EX15II, Angle Finder C, Semi-Hard Case EH18-L; Canon Speedlites (220EX, 380EX, 420EX, 430EX, 550EX, 580EX, 580EX II, Macro-Ring-Lite MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Battery Grip BG-E5; Remote Switch RS-60E3, Remote Controller RC-1/RC-5; AC Adapter Kit ACK-E5, Battery charger LC-E5E, Car Battery charger CBC-E5, Battery Pack LP-E5 ; All EF and EF-S lenses; EOS 450D Body + obiectiv Canon EF 18-55 IS mm	2,843.10 lei
Canon EOS 550D Body - 18 Megapixel AOS-C CMOS sensor, Full HD movies, 7cm (3.0�); 3:2 Clear View LCD with 1,040k dots, carcasa Stainless Steel and polycarbonate resin with glass fiber; AF points (f/5.6 cross type at centre, extra sensitivity at f/2.8), DIGIC IV, Continuous Shooting Max. Approx. 3.7fps. (speed maintained for minimum of approx 34 images (JPEG)�; 6 images (RAW)); 12 Custom Functions with 36 settings; Card: SD card, SDHC card or SDXC card; standard : Li-ion Battery LP-E8 + incarcator; Greutate 530g optional : AC Adapter Kit ACK-E8, Battery charger LC-E8, LC-E8E; Viewfinder: Eyecup Ef, E-series Dioptic Adjustment Lens with Rubber Frame Ef, Eyepiece Extender EP-EX15II, Angle Finder C; Semi-Hard Case EH19-L; All EF and EF-S lenses; Canon Speedlites (220EX, 270EX, 380EX, 420EX, 430EX, 430EX II, 550EX, 580EX, 580EX II, Macro-Ring-Lite, MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Battery Grip BG-E8; Remote Switch RS-60E3, Remote Controller RC-6; Original Data Security Kit OSK-E3	3,134.05 lei
Canon EOS 500D + EF-S 18-55 IS - 15.1 Megapixel CMOS sensor, Full HD (1080p) movies, EOS Integrated Cleaning System, 3.0� LCD with Live View mode, carcasa Stainless Steel/Plastic; 9 AF points (f/5.6 cross type at centre, extra sensitivity at f/2.8), DIGIC IV, Continuous Shooting Max. Approx. 3.4fps. (speed maintained for up to 170 images (JPEG), 9 images (RAW)); 13 Custom Functions with 39 settings; SD card, SDHC card; standard : Li-ion Battery LP-E5 + incarcator LC-E5; optional : All EF-/S Lenses Macro Ring Lite MR-14EX, Macro twin lite MT-24EX, E-series Dioptic Adjustment Lenses, Angle Finder C, Semi hard case EH19L, Car Battery Charger CBC-E5, Interface Cable IFC-500, Canon EX-series Speedlites and ST-E2, AC Adapter CA-PS700, DC Coupler - DR-E5, Battery Grip BG-E5, Battery Magazine BGM-E5L, Eyepiece Extender EPEX15II, HDMI Cable HTC-100, Remote Switch RS-60E3, Remote Controller RC-5, RC-1	3,145.73 lei
Canon EOS 550D + EF-s 18-55IS18 - EOS 550D + EF-s 18-55IS18 Megapixel AOS-C CMOS sensor, Full HD movies, 7cm (3.0�); 3:2 Clear View LCD with 1,040k dots, carcasa Stainless Steel and polycarbonate resin with glass fiber; AF points (f/5.6 cross type at centre, extra sensitivity at f/2.8), DIGIC IV, Continuous Shooting Max. Approx. 3.7fps. (speed maintained for minimum of approx 34 images (JPEG)�; 6 images (RAW)); 12 Custom Functions with 36 settings; Card: SD card, SDHC card or SDXC card; standard : Li-ion Battery LP-E8 + incarcator; Greutate 530g optional : AC Adapter Kit ACK-E8, Battery charger LC-E8, LC-E8E; Viewfinder: Eyecup Ef, E-series Dioptic Adjustment Lens with Rubber Frame Ef, Eyepiece Extender EP-EX15II, Angle Finder C; Semi-Hard Case EH19-L; All EF and EF-S lenses; Canon Speedlites (220EX, 270EX, 380EX, 420EX, 430EX, 430EX II, 550EX, 580EX, 580EX II, Macro-Ring-Lite, MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Battery Grip BG-E8; Remote Switch RS-60E3, Remote Controller RC-6; Original Data Security Kit OSK-E3	3,480.21 lei
Canon EOS 50D BODY - 15.1 Megapixel APS-C CMOS sensor, EOS integrated cleaning system with fluorine coating, 3" LCD , Magnesium Alloy body covers, 9 cross-type AF points (f/2.8 at centre) DIGIC 4 ; 6.3 fps with up to 90 JPEG image burst,ISO range up to 12800; CompactFlash Type I / II (Microdrive compatible, UDMA compatible), external storage with WFT-E3, Accesori standard: Battery Charger CB 5L; Interface Cable IFC-200U; Battery Pack BP-511A; Video Cable VC-100; Wide Strap EW-EOS50D; Focusing Screen Ef-A; Date/time CR2016 Lithium Battery; optionals accessories: All EF & EF-S Lens; Canon EX-series Speedlites; Macro Ring Lite MR-14EX; Macro Twin Lite MT-24EX; E-series Dioptic Adjustment Lenses; Angle Finder C, Rubber Frame Eb; Eyepiece Extender EP-EX15; Battery Grip BG-E2N; Original Data Security Kit OSK-E3; Focusing Screens Ef-D & Ef-S; Battery Magazine BGM-E2; Compact Power Adapter CA-PS400 & CA-570; AC Adapter Kit ACK-E2; Battery Charger CG-570; Car battery cable CB-570; HDMI Cable HTC-100; Wireless file transmitter WFT-E3/WFT-E3A; Timer Remote Controller TC-80N3; Remote Switch RS-80N3; Wireless Controller LC-5; Focussing screens Ef-D & Ef-S; Speedlite Transmitter ST-E2; nu include card de memorie	3,865.13 lei
Canon EOS 550D + EF-s 18-135IS - CANON EOS550D + EF-s 18-135IS	4,275.45 lei
Canon EOS 500D + EF-S 18-200 IS - 15.1 Megapixel CMOS sensor, Full HD (1080p) movies, EOS Integrated Cleaning System, 3.0� LCD with Live View mode, carcasa Stainless Steel/Plastic; 9 AF points (f/5.6 cross type at centre, extra sensitivity at f/2.8), DIGIC IV, Continuous Shooting Max. Approx. 3.4fps. (speed maintained for up to 170 images (JPEG), 9 images (RAW)); 13 Custom Functions with 39 settings; SD card, SDHC card; standard : Li-ion Battery LP-E5 + incarcator LC-E5; optional : All EF-/S Lenses Macro Ring Lite MR-14EX, Macro twin lite MT-24EX, E-series Dioptic Adjustment Lenses, Angle Finder C, Semi hard case EH19L, Car Battery Charger CBC-E5, Interface Cable IFC-500, Canon EX-series Speedlites and ST-E2, AC Adapter CA-PS700, DC Coupler - DR-E5, Battery Grip BG-E5, Battery Magazine BGM-E5L, Eyepiece Extender EPEX15II, HDMI Cable HTC-100, Remote Switch RS-60E3, Remote Controller RC-5, RC-1	4,775.67 lei
Canon EOS 50D EFS 1785IS - 15.1 Megapixel APS-C CMOS sensor, EOS integrated cleaning system with fluorine coating, 3" LCD , Magnesium Alloy body covers, 9 cross-type AF points (f/2.8 at centre) DIGIC 4 ; 6.3 fps with up to 90 JPEG image burst,ISO range up to 12800; CompactFlash Type I / II (Microdrive compatible, UDMA compatible), external storage with WFT-E3, Accesori standard: Battery Charger CB 5L; Interface Cable IFC-200U; Battery Pack BP-511A; Video Cable VC-100; Wide Strap EW-EOS50D; Focusing Screen Ef-A; Date/time CR2016 Lithium Battery; optionals accessories: All EF & EF-S Lens; Canon EX-series Speedlites; Macro Ring Lite MR-14EX; Macro Twin Lite MT-24EX; E-series Dioptic Adjustment Lenses; Angle Finder C, Rubber Frame Eb; Eyepiece Extender EP-EX15; Battery Grip BG-E2N; Original Data Security Kit OSK-E3; Focusing Screens Ef-D & Ef-S; Battery Magazine BGM-E2; Compact Power Adapter CA-PS400 & CA-570; AC Adapter Kit ACK-E2; Battery Charger CG-570; Car battery cable CB-570; HDMI Cable HTC-100; Wireless file transmitter WFT-E3/WFT-E3A; Timer Remote Controller TC-80N3; Remote Switch RS-80N3; Wireless Controller LC-5; Focussing screens Ef-D & Ef-S; Speedlite Transmitter ST-E2; nu include card de memorie	5,154.75 lei

Garantia este de 12 luni, exceptie facind produsele la care este specificat altfel.

Preturile contin TVA. Toate platile se fac numerar sau cu ordin de plata avizat de banca. Preturile pot fi modificate fara notificare prealabila. Marfa va fi livrata dupa confirmarea platii. Va rugam sunati pentru confirmarea stocului.

Aparat foto DSLR

Canon EOS 50D EFS 18200IS - 15.1 Megapixel APS-C CMOS sensor, EOS integrated cleaning system with fluorine coating, 3" LCD , Magnesium Alloy body covers, 9 cross-type AF points (f/2.8 at centre) DIGIC 4 ; 6.3 fps with up to 90 JPEG image burst, ISO range up to 12800; CompactFlash Type I / II (Microdrive compatible, UDMA compatible), external storage with WFT-E3, Accesorii standard: Battery Charger CB 5L; Interface Cable IFC-200U; Battery Pack BP-511A; Video Cable VC-100; Wide Strap EW-EOS50D; Focusing Screen EF-A; Date/time CR2016 Lithium Battery; optional accessories: All EF & EF-S Lens; Canon EX-series Speedlites; Macro Ring Lite MR-14EX; Macro Twin Lite MT-24EX; E-series Dioptic Adjustment Lenses; Angle Finder C, Rubber Frame Eb; Eyepiece Extender EP-EX15; Battery Grip BG-E2N; Original Data Security Kit OSK-E3; Focusing Screens EF-D & EF-S; Battery Magazine BGM-E2; Compact Power Adapter CA-PS400 & CA-570; AC Adapter Kit ACK-E2; Battery Charger CG-570; Car battery cable CB-570; HDMI Cable HTC-100; Wireless file transmitter WFT-E3/WFT-E3A; Timer Remote Controller TC-80N3; Remote Switch RS-80N3; Wireless Controller LC-5; Focussing screens EF-D & EF-S; Speedlite Transmitter ST-E2; nu include card de memorie	5,584.80 lei
Canon EOS 7D body - 18MP APS-C CMOS sensor, Full HD movies, 8fps shooting, Dual "DIGIC 4", 3� Clear View II LCD, carcasa aliaj Magneziu; 19 cross-type AF points (f/2.8 at centre), ISO range up to 12800, Tip card : CompactFlash Type I / II; Porturi: Hi-Speed USB; HDMI mini output, Video output (PAL/ NTSC), Extension system terminal (for WFT-E5), External microphone (Stereo mini jack); Accesorii standard : Li-ion Battery LP-E6 + incarcator LC-E6; Interface Cable IFC-200U; Stereo AV cable AVC-DC400ST; Date/time CR1616 lithium battery; Wide Strap EW-EOS7D; Accesorii optionale : - All EF & EF-S Lenses; Canon EX-series Speedlites, Macro Ring Lite MR-14EX; Macro Twin Lite MT-24EX; E-series Dioptic Adjustment Lenses; Angle Finder C; Rubber Frame Eb; Eyepiece Extender EP-EX15; Battery Grip BGE7; Original Data Security Kit OSK-E3; Battery Magazine BGM-E6; Interface Cable IFC-500U; AC Adapter Kit ACK-E6 (AC adapter AC-E6, DC coupler DR-E6); Battery Charger CBL-E6; Car Battery Cable CB-570; HDMI Cable HTC-100; Wireless File Transmitter WFT-E5D; Timer Remote Controller TC-80N3; Remote Switch RS-80N3; Wireless Controller LC-5; Focusing Screens TBC; Speedlite Transmitter ST-E2;	6,503.83 lei
Canon EOS 7D EF-S18-135IS - EOS 7D + EFS 18-135IS	7,949.54 lei
Canon EOS 5D II Body - Aparat Foto Digital SLR, Rezolutie 21.1MP full frame CMOS sensor , DIGIC 4 processor , ISO range expandable to 25600, Full HD (1080, 30fps) movie recording, High-res 3.0” VGA LCD with Live View, 3.9fps JPEG shooting up to card capacity, 9-point AF + 6 Assist AF points , Magnesium alloy body, EOS Integrated Cleaning System, 25 Custom Functions with 71 settings, Interfata: USB 2.0 Hi-Speed (Mini-B), HDMI mini output, Video output (PAL/ NTSC), Microphone input, Extension system terminal (for WFT-E4), card CompactFlash Type I / II (Microdrive compatible, UDMA compatible), external storage with optional WFT-E4, Standard : acumulator Li Ion LP-E6 + incarcator , 1xCR1616 for date & settings; Accesorii Optionale: AC Adapter Kit ACK-E6, Battery charger LC-E6E/LC-E6, Car Battery charger CBC-E6, Car Battery Cable CB-570Eyecup Eb, E-series Dioptic Adjustment Lens with Rubber Frame Eb, Eyepiece Extender EP-EX15, Focusing Screens Eg, Angle Finder C, Wireless File Transmitter WFT-E4; All EF lenses (excludes EF-S lenses); Canon Speedlites (220EX, 380EX, 420EX, 430EX, 430EX II, 550EX, 580EX, 580EX II, Macro-Ring-Lite, MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Battery Grip BG-E6; Remote control with N3 type contact, Original Data Security Kit OSK-E3	9,323.04 lei
Canon EOS 7D EF-S15-85IS - EOS 7D + EFS 15-85IS USM	9,454.18 lei
Canon EOS 5D II + EF24105 ISUSM - Aparat Foto Digital SLR, Rezolutie 21.1MP full frame CMOS sensor , DIGIC 4 processor , ISO range expandable to 25600, Full HD (1080, 30fps) movie recording, High-res 3.0” VGA LCD with Live View, 3.9fps JPEG shooting up to card capacity, 9-point AF + 6 Assist AF points , Magnesium alloy body, EOS Integrated Cleaning System, 25 Custom Functions with 71 settings, Interfata: USB 2.0 Hi-Speed (Mini-B), HDMI mini output, Video output (PAL/ NTSC), Microphone input, Extension system terminal (for WFT-E4), card CompactFlash Type I / II (Microdrive compatible, UDMA compatible), external storage with optional WFT-E4, Standard : acumulator Li Ion LP-E6 + incarcator , 1xCR1616 for date & settings; Accesorii Optionale: AC Adapter Kit ACK-E6, Battery charger LC-E6E/LC-E6, Car Battery charger CBC-E6, Car Battery Cable CB-570Eyecup Eb, E-series Dioptic Adjustment Lens with Rubber Frame Eb, Eyepiece Extender EP-EX15, Focusing Screens Eg, Angle Finder C, Wireless File Transmitter WFT-E4; All EF lenses (excludes EF-S lenses); Canon Speedlites (220EX, 380EX, 420EX, 430EX, 430EX II, 550EX, 580EX, 580EX II, Macro-Ring-Lite, MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Battery Grip BG-E6; Remote control with N3 type contact, Original Data Security Kit OSK-E3	12,837.76 lei
Canon EOS 1D Mark III - Aparat Foto Digital Profesional SLR, Approx. 21.1M, procesor 2 x DIGIC III, carcasa Magnesium Alloy, Built-in/Fixed with Self Cleaning Sensor Unit; TTL-AREA-SIR with a CMOS sensor; 19 cross-type AF points (plus 26 Assist AF points); SHUTTER Electronically-controlled focal-plane shutter; 30 - 1/8000 sec. (1/3 stop increments), Soft touch electromagnetic shutter release; MEMORY CARD: CompactFlash Type I / II (Microdrive compatible, UDMA compatible)¹; SDHC ¹; SD memory (up to 2GB), External Media (with Wireless File Transmitter WFT-E2 only); Acumulator 1x Li-ion pack LP-E4, 1x CR2025 for date & settings; Accesorii optionale : Wireless File Transmitter WFT-E2, Original Data Security Kit OSK-E3, Eyecup Eg, Eg-series Dioptic Adjustment Lens with Rubber Frame Eg, Anti Fog Eyepiece Eg, Focusing Screens Ec, Angle Finder C, Hand Strap E1; Lenses All EF lenses (excludes EF-S lenses); Flash Canon Speedlites (220EX, 380EX, 420EX, 430EX, 550EX, 580EX, 580EX II, Macro-Ring-Lite, MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2); Remote Controller / Switch Remote control with N3 type contact, Wireless Controller LC-5; Power Supply & Battery Chargers Battery Pack LP-E4, Battery charger LC-E4, Car Battery Cable CG-570 (use with LC-E4), Power Adapter ACK-E4 "	29,068.13 lei
Nikon D3000 Body - 10.2 MP 3D Color Matrix Metering II 11 puncte AF ISO 100-1600 (extins 3200) 1/4000s - 30s + Bulb Mod burst - 3fps Blit i-TTL, sincronizare max. 1/200s LCD 3 inch SD, suport SDHC Li-ion EN-EL9a 485g 2 ani VBA250AE	1,583.01 lei
Nikon D3000 kit 18-55 VR - 10.2 MP 3D Color Matrix Metering II 11 puncte AF ISO 100-3200 1/4000s - 30s + Bulb Mod burst - 3fps Blit i-TTL, sincronizare max. 1/200s LCD 3 inch SD, suport SDHC Li-ion EN-EL9a 485g Nikkor 18-55mm f/3.5-5.6G AF-S DX VR 2 ani VBA250K001	1,880.01 lei
Nikon D5000 KIT 18-55 AF-S DX VR - 12.3 MP, Filmare HD 1280 x 720/24 fps 3D Color Matrix Metering II 11 puncte AF ISO 200-3200 extins (100-6400) 1/4000s - 30s + Bulb Mod burst - 4.5fps Mod burst - 4fps Blit i-TTL, sincronizare max. 1/200s LCD 2.7 inch cu unghi variabil SD, suport SDHC Li-ion EN-EL9a 560g Nikkor 18-55mm f/3.5-5.6G AF-S DX VR 2 ani VBA240K001	2,573.01 lei
Nikon D90 Body - 12.3 MP Filmare 1280 x 720 @ 24fps 3D Color Matrix Metering II 11-area AF ISO 200-3200 extins (100-6400) 1/4000s - 30s + Bulb Mod burst: 4.5fps Blit i-TTL, Flash sync max 1/200s 7.6 LCD SD, suport SDHC acumulator EN-EL3e, 7.4V/1500mAh, stamina 850 poze 620g 2 ani VBA230AE	3,068.01 lei
Nikon D90 KIT 18-55 VR - 12.3 MP Filmare 1280 x 720 @ 24fps 3D Color Matrix Metering II 11-area AF ISO 200-3200 (extins 100-6400) 1/4000s - 30s + Bulb Mod burst: 4.5fps i-TTL, sincroniazre blit max 1/200s 7.6 LCD SD, suport SDHC acumulator EN-EL3e, 7.4V/1500mAh, stamina 850 poze 265g Nikkor 18-55mm f/3.5-5.6G VR AF-S DX 2 ani VBA230K006	3,464.00 lei
Nikon D90 KIT 18-105 VR - 12.3 MP Filmare 1280 x 720 @ 24fps 3D Color Matrix Metering II 11-area AF ISO 200-3200 extins (100-6400) 1/4000s - 30s + Bulb Mod burst: 4.5fps Blit i-TTL, Flash sync max 1/200s 7.6 LCD SD, suport SDHC acumulator EN-EL3e, 7.4V/1500mAh, stamina 850 poze 620g Nikkor 18-105mm f/3.5-5.6G ED VR AF-S DX 2 ani	3,959.01 lei
Nikon D300S Body - 12.3 MP, Filmare HD 1280 x 720/24 fps 3D Color Matrix Metering II 51 puncte, 15 senzori cruce ISO 200-3200 (extins 100-6400) 1/8000s - 30s + Bulb 7fps (8fps cu MB-D10) Blit i-TTL, Flash sync max 1/320s 7.6cm LCD, Liveview dublu slot: SD/SDHC si CF, compatibil UDMA, MicroDrive acumulator EN-EL3e, 7.4V/1500mAh, stamina 800 poze 840g 2 ani VBA260AE	5,939.01 lei
Nikon D700 Body - 12.1 MP 3D Color Matrix Metering II 51 puncte, 15 senzori cruce ISO 200-6400 (Expanded ISO 100-25600) 1/8000s - 30s + Bulb 5fps Blit i-TTL, Flash sync max 1/250s, blit incorporat numar de ghid 17 7.6cm LCD, Liveview Compact Flash , compatibil UDMA acumulator EN-EL3e, stamina 1000 poze 995g 2 ani	8,909.01 lei
Nikon D3S Body - 12.1 MP 3D Color Matrix Metering II 51 puncte, 15 senzori ISO 200-12.800 (extins 100-102.400) 1/8000s - 30s + Bulb 9fps format FX, 11fps format DX Blit i-TTL, Flash sync max 1/250s 7.6cm LCD, Liveview 2 CF simultan, compatibil UDMA, MicroDrive acumulator EN-EL4a/EL4, 11.1V/2500mAh, stamina 1500 cadre 1.240g 2 ani VBA270AE	16,829.01 lei
Nikon D3X Body - 24.5 MP 3D Color Matrix Metering II 51 puncte, 15 senzori ISO 100-1600 (expandabil 50-6400) 1/8000s - 30s + Bulb 5fps format FX, 7fps format DX Blit i-TTL, Flash sync max 1/250s 7.6cm LCD, Liveview 2 CF simultan, compatibil UDMA, MicroDrive acumulator EN-EL4a/EL4, 11.1V/2500mAh, stamina 1500 poze 1220g 2 ani	26,729.01 lei
Olympus E-450 Body - E-450 Body (incl. Charger, Rechargeable Battery, USB Cable, Video Cable)	1,399.01 lei
Olympus E-450 KIT (EZ-1442) - E-450 Body (incl. Charger, Rechargeable Battery, USB Cable, Video Cable) + Zuiko Digital ED 14-42mm 1:3.5-5.6 / EZ-1442	1,799.00 lei
Olympus E-450 DZ KIT (EZ-1442 & EZ-4015-2) - E-450 Body (incl. Charger, Rechargeable Battery, USB Cable, Video Cable) + Zuiko Digital ED 14-42mm 1:3.5-5.6 / EZ-1442 + Zuiko Digital ED 40-150mm 1:4.0-5.6 / EZ-4015-2	2,199.00 lei
Olympus E-620 Body - E-620 Body - incl. Charger + Battery	2,399.00 lei

Garantia este de 12 luni, exceptie facind produsele la care este specificat altfel.
Preturile contin TVA. Toate platile se fac numerar sau cu ordin de plata avizat de banca. Preturile pot fi modificate fara notificare prealabila.
Marfa va fi livrata dupa confirmarea platii. Va rugam sunati pentru confirmarea stocului.

Aparat foto DSLR

Olympus E-620 Kit (EZ-1442) - E-620 Body - incl. Charger + Battery +Zuiko Digital ED 14-42mm 1:3.5-5.6 / EZ-1442	2,799.00 lei
Olympus E-620 DZ Kit (EZ-1442 & EZ4015-2) - E-620 Body - incl. Charger + Battery +Zuiko Digital ED 14-42mm 1:3.5-5.6 / EZ-1442 + Zuiko Digital ED 40-150mm 1:4.0-5.6 / EZ-4015-2	3,199.00 lei
Olympus E-30 Body - E-30 Body, Charger, Rechargeable Battery, USB Cable, Video Cable	3,999.00 lei
Olympus E-30 1442 Kit - E-30 1442 Kit, Charger, Rechargeable Battery, USB Cable, Video Cable + Zuiko Digital ED 14-42mm 1:3.5-5.6 / EZ-1442	4,499.01 lei
Olympus E-3 Body - E-3 Body - incl. Charger + Battery	4,799.00 lei
Olympus E-30 1454 II Kit - E-30 1454 II Kit, Charger, Rechargeable Battery, USB Cable, Video Cable + EZ-1454 ZUIKO DIGITAL 14-54mm	5,999.00 lei
Olympus E-3 Kit (EZ-1454) - E-3 Kit (EZ-1454) - incl. Charger + Battery + Zuiko Digital ED 14-42mm 1:3.5-5.6 / EZ-1442	5,999.00 lei
Olympus E-30 1260 Kit - E-30 1260 Kit, Charger, Rechargeable Battery, USB Cable, Video Cable	7,299.00 lei
Olympus E-3 Kit (EZ-1260) - E-3 Kit (EZ-1260) - incl. Charger + Battery + Zuiko Digital ED 12-60mm 1:2.8-4.0 SWD / EZ-1260	7,299.00 lei
Sony DSLR A230 - 10.2MP, CCD in cruce (9 puncte), 2.7" TFT hibrid LCD, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, compatibil M	1,701.45 lei
Sony DSLR-A230L - A230L, 10.2MP - CCD in cruce (9 puncte) - obiectiv SAL1855 - 2.7" TFT hibrid LCD - Super SteadyShot integrat in camera + AntiBlur ISO 3200 - Procesor de imagine BIONZ - D-Range Optimiser - Sistem Dublu Antipraf - iesire HD/HDMI - compatibil Memory Stick Pro Duo� / PRO-HG Duo� / PRO-HG Duo� / HX / SD card / SDHC card - Lithium N battery	1,827.90 lei
Sony DSLR-A330L - 10.2MP - CCD �n cruce (9 puncte) - obiectiv SAL1855 - 2.7" TFT hibrid LCD Pivotant - Quick AF Live View - Super SteadyShot integrat in camera + AntiBlur ISO 3200 - Procesor de imagine BIONZ - D-Range Optimiser - Sistem Dublu Antipraf - iesire HD/HD	2,073.42 lei
Sony DSLR-A230Y - 10.2MP - CCD �n cruce (9 puncte) - obiectiv SAL1855 + SAL55200 - 2.7" TFT hibrid LCD - Super SteadyShot integrat in camera + AntiBlur ISO 3200 - Procesor de imagine BIONZ - D-Range Optimiser - Sistem Dublu Antipraf - iesire HD/HDMI - compatibil Mem	2,331.21 lei
Sony DSLR-A380L - 14.2MP - CCD �n cruce (9 puncte) - obiectiv SAL1855 - 2.7" TFT hibrid LCD Pivotant - Quick AF Live View - Super SteadyShot integrat in camera + AntiBlur ISO 3200 - Procesor de imagine BIONZ - D-Range Optimiser - Sistem Dublu Antipraf - iesire HD/HD	2,453.96 lei
Sony DSLR A450L - Camera foto SONY DSLR A450L, 14.2MP, CMOS, obiectiv SAL 1855, 2.7" Clear LCD, Quick AF Live View, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, USB 2.0, HDMI,	2,519.04 lei
Sony DSLR A500L - Kit DSLRA500 + 18-55 SAM	2,534.30 lei
Sony DSLR A500L - Camera foto SONY DSLR A500L, 12.3MP, CMOS, obiectiv SAL 1855, 3" Clear LCD, Quick AF Live View, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, USB 2.0, HDMI, co	2,726.50 lei
Sony DSLR-A300X - A300X, 10.2MP - CCD �n linie (9 puncte) - obiectiv SAL1870 + SAL55200 - 2.7" TFT hibrid LCD - Super SteadyShot integrat in camera + AntiBlur ISO 3200 - Procesor de imagine BIONZ - D-Range Optimiser - Sistem Dublu Antipraf - iesire HD/HD	2,822.25 lei
Sony DSLR A330Y - Kit DSLRA330 + 18-55SAM + 55-200 SAM	2,777.27 lei
Sony DSLR A550L - Camera foto SONY DSLR A550L, 14.2MP, CMOS, obiectiv SAL 1855, 3" Clear LCD, Quick AF Live View, Super SteadyShot integrat in camera + AntiBlur ISO 3200, Procesor de imagine BIONZ, D-Range Optimiser, Sistem Dublu Antipraf, iesire HD/HDMI, USB 2.0, HDMI, co	2,979.39 lei
Sony DSLR A380Y - ALPHA A380L Black 14.2MP 2.7" TFT + SAL 18-55 + SAL 55-200	3,306.51 lei
Sony DSLR-A700K - A700K, 12.2MP - CMOS EXMOR �n linie (11 puncte) - obiectiv SAL1870 - 3.0" TFT hibrid LCD - Super SteadyShot integrat in camera + AntiBlur ISO 6400 - Procesor de imagine BIONZ - D-Range Optimiser - Sistem Dublu Antipraf - compatibil Compact Flash (tip I/II) / Microdrive� - Lithium N battery	3,914.82 lei
Sony ALPHA A900 - ALPHA A900 Black 24.6MP 3" TFT CMOS FULL FRAME	11,289.21 lei